

Netsuite - How to Poll for Deleted Records

Last Modified on 03/16/2020 3:16 pm EDT

The standard polling configuration for the NetSuite connector will not capture deleted records. If accounting for deleted records is important to keeping a dataset up-to-date, then polling for those records is a viable option.

NetSuite's `get_deleted` functionality allows for querying for deleted records by their deleted date:

```
curl --request GET \  
  --url 'http://{CE_ENV}/elements/api-v2/vendor-payments?where=deleted%3Dtrue%20AND%20deletedDate%3E\'\'2019-05-04T18%3A17%3A02Z\'\'\' \  
  --header 'accept: application/json' \  
  --header 'authorization: User {USER_TOKEN}, Organization {ORG_TOKEN}, Connector {INSTANCE_TOKEN}'
```

To poll for deleted records of the vendor payments object, update the poller-configuration:

```
{  
  "vendor-payments": {  
    "url": "/hubs/erp/vendor-payments?where=deleted=true AND deletedDate>'${gmtDate:yyyy-MM-dd'T'HH:mm:ssXXX}'",  
    "idField": "internalId",  
    "filterByUpdatedDate": false,  
    "datesConfiguration": {  
      "updatedAtField": "deletedDate",  
      "updatedAtFormat": "yyyy-MM-dd'T'HH:mm:ssXXX"  
    }  
  }  
}
```

Note: If editing the poller-configuration to support deleted records in the SAP Cloud Platform Open Connectors UI, it requires editing the raw JSON for the poller.