

Sage Business Cloud Accounting API Provider Setup

Last Modified on 12/30/2019 9:30 pm EST

To authenticate a Sage One connector instance you must have a developer account with Sage and a GitHub account. You need to provide the following Sage information during the authentication process:

- APIM Subscription Key or Subscription Primary Key
- Client ID
- Client Secret
- Signing Secret

Sage assigns the key, id, and secrets after you subscribe to the Sage One API and register your app.

Subscribe to the Sage One API

To subscribe to the Sage One API and receive an APIM Subscription Key:

1. Navigate to <https://developers.sageone.com/>.
2. On the main page, scroll to the "4 easy steps".
3. Click **Subscribe Now** in step 2.

Sage One shows a list of APIs that are also clickable links. Do not click them unless you want to read more about each step.

4. Click **Select**.

Sage One Accounting

Subscribers have completely unlimited access to the Sage One Accounting API, allowing you to integrate with any platform using the technology of your choice.

This product contains 12 APIs:

- Sage One API - Accounts - v3 - CA
- Sage One API - Accounts - v3 - UKI
- Sage One API - Accounts - v3 - US
- Sage One API - Accounts - v3 - DE
- Sage One API - Accounts - v3 - FR
- Sage One API - Accounts - v3 - ES
- Sage One v3 core - CA
- Sage One v3 core - UKI
- Sage One v3 core - US
- Sage One v3 core - DE
- Sage One v3 core - FR
- Sage One v3 core - ES

Select

Sage One shows another list of APIs that are also clickable links. Do not click them unless you want to read more about each step.

Sage One API

Access the resources available for Sage One.

This product contains 16 APIs:

- Sage One - Accounts - v3 ca
- Sage One - Accounts - v3 de
- Sage One - Accounts - v3 es
- Sage One - Accounts - v3 fr
- Sage One - Accounts - v3 uki
- Sage One - Accounts - v3 us
- Sage One - Bulk - v3 CA
- Sage One - Testendpoint - v3 - CA
- Sage One - Testendpoint - v3 - UKI
- Sage One - Testendpoint - v3 - US
- Sage One Core API - CA
- Sage One Core API - DE
- Sage One Core API - ES
- Sage One Core API - FR
- Sage One Core API - UKI
- Sage One Core API - US

Subscribe

5. Click **Subscribe**.

6. Sign in if prompted.

7. Agree to the terms, and then click **Confirm**.

8. In the **Your Subscriptions** section, click **Show** for the **Primary Key** to reveal your APIM Subscription Key.

Your subscriptions

Subscription details		Product	State	Action
Subscription name	Sage One API	Sage One API	Active	Rename Show Regenerate
Started on	05/30/2017			
Primary key	xx			Show Regenerate
Secondary key	xx			Show Regenerate

Looking to close your account?
[Close account](#)


APIM Subscription Key

9. Save this as your APIM Subscription Key that you need to use to authenticate a connector instance.

Register Your App

To register your app and receive ids and secrets:

1. Navigate to <https://developers.sageone.com/>.
2. Click **View Account** at the top of the page, and then select **My Applications**, or click the **Register your app** link in the body of the page.
3. Sign in with your GitHub account and authorize the app.



4. Accept the terms, and then click **Continue**.
5. Enter your application information, and then click **Register Application**.
6. Click the newly created app.
7. Copy the **Client ID**, **Client Secret**, and **Signing Secret**.

Applications / My Cool app

Application Name*

Homepage URL*

E-Mail

[Change Image](#)

Client ID

Client Secret

Signing Secret 

Callback URL*

[Add another](#)

On authentication we need to know where to send the request back to. We recommend that you use the 'https' protocol.

[Update application](#)

[Delete application](#)