

Weebly API Provider Setup

Last Modified on 03/02/2021 5:55 pm EST

Follow these steps to set up a Weebly application with the endpoint.

Before you can use the portal, you need to create a developer account. You also need to create a web site to test your applications or themes.

If you don't already have one, create a basic Weebly account. Visit weebly.com, create your account, and create a test web site. Once your account and site are created, access the [Developer Admin](#) portal from dev.weebly.com (click Admin Login) and log in.

The dialog displays the name and email associated with your standard account. By default, these will be used for your developer account. Add the following information that will be used to create your App card in the App Center:

- A description about yourself. This will display on your App card in the App Center.
- The URL to your web site. This is where you want your customers to visit for more information about your app, your other products and services, your company, etc.
- An optional phone number.

Accept the Developer agreement and save your information. The Developer Admin portal page displays your account. From this point on, when you log into the Developer site, your Developer Admin portal will display.

Please review the steps necessary to [create your Weebly App](#).


Weebly requires a zip file be uploaded to their Admin Dashboard with a `manifest.json` file indicating the app file structure.

Example `manifest.json`


```
////////////////////////////////////
////////BASIC APP STRUCTURE////////
////////////////////////////////////
{
  "manifest": "1",
  "client_id": "INSERT_CLIENT_ID",
  "version": "2.0.0",
  "manage_app_url": "https://mycoolapp.com",
  "callback_url": "https://mycoolapp.com/auth",
  "oauth_final_destination": "editor",
  "locale": {
    "default": "en-us",
    "supported": ["en-us"]
  },
  ///////////////////////////////////
  ///WITH WEBHOOKS (OPTIONAL)///
  ///////////////////////////////////
  "webhooks": {
    "callback_url": "https://console.cloud-elements.com/elements/api-v2/weebly/events",
    "events": ["store.product.create", "store.product.update", "store.product.delete",
      "store.cart.create", "store.cart.update"]
  }
}
```

Review how to [configure the Manifest for OAuth](#).

1. Click "Create New App".




2. Name the App and select category



3. Click "Save"

4. Copy the Client ID and Secret


5. Click "Upload New Version"



6. Input App Store Listing Info

7. Click "Upload New Zip" > the compressed `manifest.json`

8. Click "Submit for Review"



< Version Save Draft Submit for Review

Version Upload New ZIP

App Store Listing

Title
TEST APP


Short Description

Long Description

Example App Card


TEST APP
★★★★★
Your short description goes here.
Price

9. From the Admin Dashboard, select the app



NAME	LATEST VERSION	UPLOADED	INSTALLS	AVG RATING	PRICE
Cloud-Elements	2.0.0	4/16/2016	1	n/a	Free
Test App		4/25/2016	0	n/a	


10. Select the appropriate version



Version History Upload New Version

VERSION	DATE UPLOADED	STATUS	INSTALLS
2.0.0	4/21/2016	Draft	1

11. Click the App Card



App Store Listing


Title

Short Description

Long Description

Example App Card


Cloud Elements
Free




12. Click "Add"

13. Select A Site

14. Click "Continue"



15. Click "Connect"



This Connection will kick off the [OAuth](#) process needed to provision a Weebly Instance.