

Formula Instances

Last Modified on 03/17/2021 11:48 am EDT

Set up individual formula instances to complete the workflow defined in a formula template.

Create Formula Instances

On this page

In formula instances, you replace the Connector Instance and Value variables in the template with specific connector instances and values. You can set up formula instances to notify you of any errors through email or a webhook URL.

Create Formula Instance

To create a formula instance:

1. Navigate to the Formulas page.
2. Hover over the connector card, and then click **Create Instance**.
3. Enter a name for the instance.
4. Specify the Connector Instance and Value variables:
 - In the **Variables** section under **Instances**, select an Instance variable, and then choose or create a connector instance to replace the variable.
 - In the **Variables** section under **Values**, enter a value to replace the variable.

The screenshot shows the 'Create Instance' form for a formula named 'myCoolFormula'. The form is divided into two main sections: 'Variables' and 'Values'. The 'Variables' section has a sub-section 'Instance' with a variable 'originInstance' and a plus icon. The 'Values' section has two input fields: 'resourceName' and 'stepTwold'. A red box highlights the 'Instance' variable and the 'Values' section. Red arrows point from the text 'Connector Instance Variables' to the 'originInstance' variable and from 'Value Variables' to the 'Values' section. At the bottom, there is a 'Show Advanced' button, a 'Revisions' button, and 'Cancel' and 'Create Instance' buttons.

5. To add email or webhook error notifications, click **Show Advanced**.
 - In **Email** enter a comma-separated list of email addresses.
 - In **Webhook URL** enter a comma-separated list of URLs.
6. Click **Create Instance**.

You can create temporary formula instances that exist for a specified amount of time. Specify the time in seconds, such as `86400` for a day or `3600` for an hour. Every hour, SAP Open Connectors checks for temporary formula instances that have expired and deletes them. You can create temporary formula instances only through the SAP Open Connectors

APIs.

To create a temporary formula instance, add `"formula.instance.time.to.live":` to the `settings` object in a `POST` `/formulas/{id}/instances` request. Here's an example where the formula instance expires after one hour:

```
{
  "active": true,
  "configuration": {
    "": "string"
  },
  "settings": {
    "notification.email": "string",
    "notification.webhook.url": "string",
    "api": "string",
    "formula.instance.time.to.live": 3600
  },
  "createdDate": "2018-01-23T16:33:47.431Z",
  "formula": {
    "active": true,
    "id": 0
  },
  "name": "string",
  "updatedAt": "2018-01-23T16:33:47.431Z"
}
```

Deactivate a Formula Instance

You can deactivate a formula to temporarily stop executions until you reactivate it.

Note: You can also deactivate a formula template to stop the executions of all formula instances. See [Deactivate a Formula Template](#).



To deactivate a formula instance:

1. Navigate to the Formula instance. On the Formulas page, hover over the Formula card, and then click on the **Instances** banner.
2. Hover over the Formula Instance card, and then click **Edit**.
3. At the top right of the page, switch the **Active** slider off.



Review Executions

You can work on formulas instances or review successful executions. The executions appear in three columns from left to right:

- Formula Executions — the list of executions of the selected formula instance. We identify failed executions in red.
- Steps — The steps in the formula instance and an icon showing their success  or failure .
- Execution Values — The details associated with the selected step.

Formula Executions

Search by Object ID

297829551
Created: 2018-03-22T15:43:55Z
Updated: 2018-03-22T15:44:00Z

Steps

sendEmail
Created: 2018-03-22T15:43:56.562Z
Updated: 2018-03-22T15:43:58.861Z

constructBody
Created: 2018-03-22T15:43:55.136Z
Updated: 2018-03-22T15:43:55.185Z

trigger
Created: 2018-03-22T15:43:55.102Z
Updated:

All Steps Loaded

sendEmail values

sendEmail.response.code
200

sendEmail.request.headers

```
{
  "Authorization": "Element d9Q1LcgE/QxIKW2BzYsdwJgZlozrq0cgpYtpRtEdkNI=", User 02WccT50KNGdI6Nf3fvrLJ7aH3vRbKJzJioObsLHANI=", Organization 98a9924e3025e86583b9954bab611b92",
  "Elements-Formula-Execution-Id": "297829551",
  "Elements-Formula-Id": "5652",
  "Elements-Formula-Request-Id": "2478251859",
  "Elements-Formula-Step": "sendEmail",
  "Elements-Formula-Step-Retry-Count": "0"
}
```

sendEmail.request.body

```
{
  "from": "docs@cloud-elements.com",
  "message": "Contact with ID 00346000010kKoZAAU was CREATED. This is from the docs account on Prod.",
  "subject": "CRM Event Occurred",
  "to": "dave.c.wilks@gmail.com.com"
}
```

sendEmail.response.body

```
{
  "subject": "CRM Event Occurred",
  "received": false,
  "mimeType": "text/html",
  "message": "Contact with ID 00346000010kKoZAAU was CREATED. This is from the docs account on Prod."
}
```

To review formula instance executions:

1. Navigate to the Formula instance. On the Formulas page, hover over the formula card, and then click on the **Instances** banner.
2. Hover over the Formula Instance card, and then click **Executions**.
3. Click the execution to review.
4. Click the step to review.

Delete a Formula Instance

To delete a formula instance:


1. Navigate to the Formula instance. On the Formulas page, hover over the Formula card, and then click on the **Instances** banner.
2. Hover over the Formula Instance card, and then click **Delete**.
3. Confirm the deletion.

Edit a Formula Instance

You can update the following information in a formula instances:

- Name
- Variables
- Notifications

Tip: Quickly see all of your formula instances in one place on the Instances page.



To edit a formula variable:

1. Navigate to the Formula instance. On the Formulas page, hover over the Formula card, and then click on the **Instances** banner.
2. Hover over the Formula Instance card, and then click **Edit**.
 - To edit the name, a Value variable, or any notifications, make your changes, and then click **Update**.
 - To edit a Connector Instance variable, click the pencil icon, and then select a new connector instance. Click **Update**.

Find a Formula Instance ID

The Formula Instance ID is a unique identifier for each formula instance. You can see the formula ID on a formula instance card under the title or on the Instances page.



Instances > Formulas				
Search by ID, name, formula name				
Connector		Formula		
Name	Active	Instance Id	Formula	
myCoolInstance	Y	372599	myCoolFormula	